

# BRAMAH SECURITY EQUIPMENT LIMITED

**Romford – Essex – Sales (Trade and Retail) - Manufacturing Site (LONDON EAST)**

19 Danes Road, Romford, Essex, RM7 0HL  
Telephone +44 (0)844 482 2034 Facsimile +44 (0)800 018 0284  
Email:lock.sales@bramah.co.uk Web: www.bramah.co.uk

**Marylebone – London – Sales (Trade & Retail) - Locksmith Support (LONDON WEST)**

31 Oldbury Place, Marylebone, London, England, W1U 5PT  
Telephone +44 (0)844 482 2034 Facsimile +44 (0)800 018 0283  
Email:locksmiths@bramah.co.uk Web: www.bramah.co.uk

The Bramah lock mechanism is 229 years old this year.

## WORLD PRICE LIST From – 31<sup>st</sup> March 2013

### Prices For

Bramah Lock Range (Mortice, Cylinder, Cabinet, Padlock, Safe)

11 – 15

### Hours of Business

*Romford* — Monday to Friday only 8.00am to 5.00pm  
Earlier or Saturday by arrangement.

*Marylebone* –Monday to Friday 8.30am to 5.30pm  
Saturday 9.00am to 1.00pm





### Handing Of Products

Right=1

Left=2

Right=3

Left=4



# Bramah Security Equipment Ltd - 19 Danes Road, Romford, Essex, RM7 OHL

## BRAMAH PRODUCT RANGE

**Retail Price List Not Including Vat From 31st March 2013 - (Note: all locks are priced without keys which are ordered separately and are common to all products)**

*Standard Finishes are SCP, Brass, BMA. Specials CP, Nickel and Black.*

Product Code	RRP without keys
<b>MDD Range Deadlock for Wooden Doors with 25mm (1") Fire Stops</b>	
(Lock Depth 81mm (3 3/8"), Keyway Backset 62mm (2 9/16"))	
£	
<i>With Forend, Deadbolt, Without Keys, Locking Plate or Escutcheons which should be specified.</i>	
MDD27	Keyed on both sides -14 slidered 127.60
MDD27A	Keyed on both sides, one microswitch -14 slidered 162.25
MDD27AA	Keyed on both sides, two microswitch - 14 slidered 176.78
MDD27F	Keyed on both sides, with different key combinations - 14 slidered 127.60
MDD27FA	Keyed on both sides, with different key combinations, one microswitch - 14 slidered 162.52
MDD27FAA	Keyed on both sides, with different key combinations, two microswitch - 14 slidered 176.78
MDD17	Keyed on one side - 7 slidered 108.18
MDD17A	Keyed on one side, one microswitch - 7 slidered 143.60
MDD17AA	Keyed on one side, two microswitch - 7 slidered 163.33
MDD17K	Keyed on one side, 180 degree thumb turn on second - 7 slidered 158.97
MDD17KA	Keyed on one side, 180 degree thumb turn on second, one microswitch - 7 slidered 170.91
MDD17KAA	Keyed on one side, 180 degree thumb turn on second, two microswitch - 7 slidered 175.48
<b>MD Range Deadlock for Wooden Doors with 13mm (1/2") Fire Stop</b>	
(Lock Depth 57mm (2 3/8"), Keyway Backset 40mm (1 9/16"))	
£	
<i>With Forend, Deadbolt, Without Keys, Locking Plate or Escutcheons which should be specified.</i>	
MD27	Keyed on both sides -14 slidered 127.60
MD27A	Keyed on both sides, one microswitch -14 slidered 162.25
MD27AA	Keyed on both sides, two microswitch - 14 slidered 176.78
MD27F	Keyed on both sides, with different key combinations - 14 slidered 127.60
MD27FA	Keyed on both sides, with different key combinations, one microswitch - 14 slidered 162.52
MD27FAA	Keyed on both sides, with different key combinations, two microswitch - 14 slidered 176.78
MD17	Keyed on one side - 7 slidered 108.18
MD17A	Keyed on one side, one microswitch - 7 slidered 143.60
MD17AA	Keyed on one side, two microswitch - 7 slidered 163.33
MD17K	Keyed on one side, 180 degree thumb turn on second - 7 slidered 158.97
MD17KA	Keyed on one side, 180 degree thumb turn on second, one microswitch - 7 slidered 170.91
MD17KAA	Keyed on one side, 180 degree thumb turn on second, two microswitch - 7 slidered 175.48
<b>Options</b>	<b>MDD and MD Range - State finish required</b>
<b>Forend (included in base product price)</b>	
P001/01	Short Forend, supplied standard if lock rebated. (Width 25mm) 21.64
P001/71	Long Forend, supplied standard on all 27,17 and 17K locks. (Width 25mm) 21.64
P001/80	Long Forend European Width, (Width 21.5mm) 21.64
P001/76	MDA Forend, supplied if requested with an MDD or MD lock when fitting a Bramah in place of Chubb 3G110 21.64
P001/76	Erebus Forend, supplied, if requested for retrofitting a Bramah in place of Erebus /Banham 7 Lever to explosive stores 21.64
<b>Deadbolt (included in base product price)</b>	
MDBF	Bolt , Flat 18mm (Pre European Standard) 20.30
MDBR	Bolt , Radius 21mm (Post European Standard) 20.30
<b>Locking Plates (add to base product price)</b>	
P001/02	Locking Plate Standard 14.19
P001/53	Locking Plate MDA and MDDA 14.19
P001/69	Box Striking Plate 57.48
P001/69A	Box Striking Plate, one microswitch 63.00
P001/69AA	Box Striking Plate, two microswitch 68.55
<b>Rebate Sets (add to base product price)</b>	
P001/54/56	MD & MDD Rebate Sets 13mm(1/2"), 16mm(5/8") - <b>on runout</b> , 19mm (3/4"), 25mm(1") <b>2011 &amp; EARLIER STYLE</b> 30.87
P001/55/77	MD & MDD Rebate Sets 13mm(1/2"), 19mm (3/4"), 25mm(1") <b>2012 + STYLE</b> 41.28
P001/55/77	MDA & MDDA Rebate Sets 13mm(1/2"), 16mm(5/8") - <b>on runout</b> , 19mm (3/4"), 25mm(1") 30.87
<b>Other Parts</b>	
L5774	Keybox Hoyles K1000 16.35
L5777	Keybox Hoyles K1030GR Spare Window 11.00
P014/11	MD Conversion set for adaptation of locks for internal thumb turn 134.16
P014/12	MDD Conversion set for adaptation of locks for internal thumb turn 134.16

# Bramah Security Equipment Ltd - 19 Danes Road, Romford, Essex, RM7 OHL

## BRAMAH PRODUCT RANGE

**Retail Price List Not Including Vat From 31st March 2013 - (Note: all locks are priced without keys which are ordered separately and are common to all products)**

*Standard Finishes are SCP, Brass, BMA. Specials CP, Nickel and Black.*

Product Code **RRP without keys**

NS Range	Deadlock for Narrow Stile Metal (M) or Wooden (W) Doors (Lock Depth 43mm (1 11/16"), Keyway Backset 22mm (7/8"))	£
<i>With Forend, Deadbolt, Without Keys, Locking Plate or Escutcheons which should be specified.</i>		
NS27 W/M	Keyed both sides - 14 <i>slidered</i>	127.60
NS17 W/M	Keyed one side - 7 <i>slidered</i>	108.18
NS17A W/M	Keyed one side, microswitch second side - 7 <i>slidered</i>	143.60
NS17A Long Tail W/M	Keyed one side, microswitch second side with 2.0m tail - 7 <i>slidered</i>	164.81
NS 17K W/M	Keyed one side, 180 degree thumb turn second side - 7 <i>slidered</i>	158.97

Options	NS Range - State finish required	
<b>Forends (included in base product price)</b>		
P001/13	Flat Forend, supplied standard	21.64
P001/10	Gibbons 19 mm (3/4") Flat Forend	23.12
P001/09	Tonks 22mm (7/8") Flat Forend	23.12
P001/12	Radius Forend, supplied on request	21.64
	Gibbons 19 mm (3/4") Radius Forend	23.12
	Tonks 22mm (7/8") Radius Forend	23.12
P001/40	3/4" Fixing Bracket	3.72
P001/41	7/8" Fixing Bracket	3.72
<b>Deadbolt (included in base product price)</b>		
NDBF	Bolt , Flat 18mm (Pre European Standard)	20.30
NDBR	Bolt , Radius 21mm (Post European Standard)	20.30
<b>Locking Plates (add to base product price)</b>		
P001/02	Locking Plate Standard	14.19
P001/53	Locking Plate MDA and MDDA	14.19
P001/69	Box Striking Plate	57.48
P001/69A	Box Striking Plate, one microswitch	63.00
P001/69AA	Box Striking Plate, two microswitch	68.55
<b>Rebate (add to base product price)</b>		
POO1/59/56	Rebate 13mm (1/2") specify finish when ordering	30.87
<b>Other parts (add to base product price)</b>		
P001/46	Easyclean floor socket - Allart 0604	10.69
P001/75	NS and VNS Fixing Block Sets - as recommended in training courses by Geoff Turner FBLI	7.42
NSCON	NS Conversion set for adaptation of locks for internal thumb turn	134.16

VNS Range	Hookbolt for Hinged and Sliding Metal (M) or Wooden (W) Doors (Lock Depth 32 mm (1 7/32"), Keyway Backset 15mm (9/16"))	
<i>With Forend, Deadbolt, Without Keys, Guide Pegs, Locking Plate or Escutcheons which should be specified.</i>		
VNS27	Keyed both sides -14 <i>slidered</i>	166.70
VNS27A	Keyed both sides, one microswitch - 14 <i>slidered</i>	173.65
VNS27AA	Keyed both sides, two microswitch - 14 <i>slidered</i>	201.75

Options	VNS Range - State finish required.	
<b>Forend (included in base product price)</b>		
P001/42	Forend	21.64
<b>Guide Peg For sliding doors (add to base product price)</b>		
P001/43	Guide Peg	3.41
<b>Locking Plates (add to base product price)</b>		
P001/74	Wood Staple, supplied at extra cost if specified	24.10
P001/63	Box Staple, supplied at extra cost if specified	33.18

# Bramah Security Equipment Ltd - 19 Danes Road, Romford, Essex, RM7 OHL

## BRAMAH PRODUCT RANGE

**Retail Price List Not Including Vat From 31st March 2013 - (Note: all locks are priced without keys which are ordered separately and are common to all products)**

*Standard Finishes are SCP, Brass, BMA. Specials CP, Nickel and Black.*

Product Code			RRP without keys
<b>R Range</b>	<b>Rim Deadlock for Wood or Metal Doors - Minimum Key Length 63mm</b> (Case Body Depth 75mm (2 15/16"), Keyway Backset 40mm (1 9/16"))		£
	<i>With Deadbolt, Without Forends, Keys, Locking Plate or Escutcheons which should be specified.</i>		
R27	Keyed on both sides - 14 <i>slidered</i>		204.19
R17	Keyed on one side - 7 <i>slidered</i>		173.37
R17A	Keyed one side, one microswitch - 7 <i>slidered</i>		197.27
R17K	Keyed one side, 180 degree thumb turn second side - 7 <i>slidered</i>		267.87

Options	R Range		
	<b>Forend (add to base product price)</b>		
P001/38	Rim Forend		26.73
P001/01	Short Forend		21.64
	<b>Deadbolt (included in base product price)</b>		
MDBF	Bolt , Flat 18mm (Pre European Standard)		20.30
MDBR	Bolt , Radius 21mm (Post European Standard)		20.30
	<b>Locking Plates (add to base product price)</b>		
P001/39	Rim Locking Plate		20.31
P001/02	Locking Plate Standard		27.99

<b>BASC Range</b>	<b>Slide on Deadlock for Glass Doors locking into the floor</b> (Case Body Depth 75mm (2 15/16"), Keyway Backset 40mm (1 9/16"))		
BASC17	Keyed one side, specify glass thickness when ordering (unit complete)		213.15

<b>SD Range</b>	<b>Collapsible Gate and Bostwick Door Lock</b> (Lock Depth 57mm (3/8"), Keyway Backset 40mm (1 9/16"))		
	<i>With: Deadbolt and Locking Plate Without: Keys, Escutcheons</i>		
SD27	Keyed both sides - 14 <i>slidered</i>		169.87
SD17	Keyed one side - 7 <i>slidered</i>		164.26
SD17A	Keyed one side, one microswitch - 7 <i>slidered</i>		169.88
SD17K	Keyed one side, 180 degree thumb turn second side - 7 <i>slidered</i>		252.66

<b>Common Options</b>	<b>MDD,MD,NS, VNS, R, BASC, SD Range</b>		
	<b>Knobturn Options (included in base product price of K Option products) - Common shaft, Interchangeable top.</b>		
P014/13	T Knob - (includes knob and base)		71.15
Avon	Round Knob (49mm Dia.) with <b>green arrow</b> to open, marked on.- (includes knob and base)		113.25
	<b>Escutcheons (add to base product price) - 10mm Guide being re - introduced in 2009 - If for European Door ask for 8mm</b>		
P011/26 - 8	Sliding Escutcheons, 20mm wide by 38mm high, 8mm guide - Less than 44mm Doors		12.85
P011/26 - 10	Sliding Escutcheons, 20mm wide by 38mm high, 10mm guide - Greater Than 44mm Doors		12.85
P011/27 - 8	Plain Escutcheons, 20mm wide by 38mm high , 8mm guide - Less than 44mm Doors		8.59
P011/27 - 10	Plain Escutcheons, 20mm wide by 38mm high , 10mm guide - Greater than 44mm Doors		8.59
P011/32	Sliding Escutcheons, 20mm wide by 38mm high, 20mm guide		12.85
P011/33	Plain Escutcheons, 20mm wide by 38mm high , 20mm guide		10.77
P011/36	Round Escutcheons 30mm (1 3/16") Diameter, 8mm guide		19.16
P011/37	Round Escutcheons 40mm (1 9/16") Diameter, 8mm guide		27.41
P011/38 - S	Round Jumbo Escutcheons 57mm (2 1/4") Diameter, 8mm guide - Standard Branded		27.41
P011/38 - R	Round Jumbo Escutcheons 57mm (2 1/4") Diameter, 8mm guide - Reverse Branded		27.41

# Bramah Security Equipment Ltd - 19 Danes Road, Romford, Essex, RM7 OHL

## BRAMAH PRODUCT RANGE

**Retail Price List Not Including Vat From 31st March 2013 - (Note: all locks are priced without keys which are ordered separately and are common to all products)**

*Standard Finishes are SCP, Brass, BMA. Specials CP, Nickel and Black.*

Product Code		RRP without keys
<b>Cabinet Locks Handed locks for Drawers, Cupboards and Sliding Wood and Glass Displays</b>		
£		
<b>Cut Cabinet Locks - Key Locking</b>		
CAB17	Cut Cabinet lock. Specify Handing, Cap Type and Finish as per Cabinet lock catalogue. <b>Back Plates 76w:57h or 50w:45h - No Staple</b>	95.80
CAB17A	Cut Cabinet Lock, with a single microswitch. Specify Handing, Cap Type and Finish as per Cabinet lock catalogue. <b>Back Plates 76w:57h - No Staple</b>	107.53
CAB17AA	Cut Cabinet lock, with a double microswtch. Specify Handing, Cap Type and Finish as per Cabinet lock catalogue. <b>Back Plates 76w:57h - No Staple</b>	117.66
	Flat Staple for CAB17	8.52
	L Staple for CAB17	11.46
	T Staple for CAB17	19.10
<b>Cut Cabinet Lock - Automatic Locking</b>		
CAB17SL	Cut Cabinet Slam lock. Specify action (Drawer or Sliding Door) and Finish as per cabinet lock catalogue.	73.92
<b>Sliding Glass and Wood Display Lock - Automatic Locking</b>		
CAB17PSH	Sliding Glass Display lock. Specify width of wood or glass and gap when ordering (Cones available 14mm,25mm; Bolts available 24mm, 30mm, 36mm). Specify Chrome or Brass Finish. <b>Standard 25mm cone:30mm bolt.</b>	86.12
<b>Cut Box Lock - Key Locking</b>		
CAB17BOX	For Wooden, Metal or Leather Boxes. Knurled Cap. Brass Finish only. - <b>Staple Included</b>	122.07
	Offset Staple	18.55
	Flush Staple	18.55
<b>Cut Cabinet Lock with Hook Bolt - Key Locking</b>		
CAB17HK No Staple	Cut Cabinet lock. Specify Back Plate size, and handing of bolt as per Cabinet Lock catalogue. Note, a right handed throw, is a left handed upside down. - <b>No Staple</b>	117.12
CAB17HK Staple	Staple. Specify size to match lock.	11.16
<b>Cut Cabinet Lock for Very Narrow Display Furniture - Key Locking</b>		
CAB17NS	Cut Cabinet lock. Specify exact geometry of wood to be used. Minimum size 32mm - <b>No Staple</b>	119.13
<b>Padlock Range</b>		
BP17 - Short	Medium Range , hardened steel shackle. <b>Inner Shackle 24mm wide by 15.5mm high.</b>	84.72
BP17 - Long	Medium Range , hardened steel shackle. <b>Inner Shackle 24mm wide by 27.5mm high.</b>	84.72
<b>Switch Units</b>		
SU17	Switch Unit without box, one microswitch	70.56
APB1 - 2T	Orion Two Way Momentary Close - Open one Pole, Key removable after contacting center position . <b>Surface Fix.</b>	87.53
UPB1 - 2T	Orion Two Way Momentary Close - Open one Pole, Key removable after contacting center position . <b>Recessed.</b>	87.53
<b>Rim Cylinders</b>		
C17	Rim cylinder. Compatible Union 1037,1038 Chubb 4L71, 4L72, Yale 85, 89 - Finishes CP, SCP, Brass	74.86
C17	Rim cylinder. Compatible Union 1037,1038 Chubb 4L71, 4L72, Yale 85, 89 - Finishes Nickel, BMA, Black	81.04
<b>Options</b>	<b>Rim Cylinder Range</b>	
	<b>Accessories</b>	
AS3812	Door Pull - Victorian Style	11.64
P007/39	Long Connecting Bar 82mm (L4980) Supplied as standard	2.95
<b>Deadlocking Nightlatch -</b>		
RA71	Ingersoll Nightlatch Without Staple, With Deadlocking. Finish - CP, SCP, Brass	69.64
RA71	Ingersoll Nightlatch Without Staple, With Deadlocking. Finish - Nickel, BMA, Black	215.13
RA73	Ingersoll Nightlatch Without Staple, Without Deadlocking. Finish - CP,SCP, Brass	69.64
RA73	Ingersoll Nightlatch Without Staple, Without Deadlocking. Finish - Nickel, BMA, Black	215.13
RA71/20	Plain Door In Staple. Finish - CP,SCP, Brass	43.73
RA71/20	Plain Door In Staple. Finish - Nickel, BMA, Black	80.73
RA71/20B	Plain Door Out Striking Plate 44mm - CP,SCP, Brass	27.65
RA71/20B	Plain Door Out Striking Plate 44mm - Nickel, BMA, Black	54.64
RA71/20D	Plain Door Out Striking Plate 57mm - SCP, Brass	27.65
RA71/20D	Plain Door Out Striking Plate 57mm - Nickel, BMA, Black and CP	54.64

# Bramah Security Equipment Ltd - 19 Danes Road, Romford, Essex, RM7 OHL

## BRAMAH PRODUCT RANGE

**Retail Price List Not Including Vat From 31st March 2013 - (Note: all locks are priced without keys which are ordered separately and are common to all products)**

*Standard Finishes are SCP, Brass, BMA. Specials CP, Nickel and Black.*

Product Code	RRP without keys
<b>Conversion Accessories</b>	
P007/38 Ingersoll Conversion Kit (Blanking Ring and Internal Adjustment Plate)	14.56
P006/12 Ingersoll Blanking Ring (required only when retrofitting) - L5971 Reamed	6.95
P007/33 Ingersoll Internal Adjustment Plate (required with every Ingersoll)	7.62
<b>Rim Electric Releases</b>	
Bramah9761 Bramah - Clarke 12V AC - Fail Locked. Finish SCP, Brass, CP, BMA, Black, Nickel - Made of Brass - Robust - Designed for BT Telephone Exchanges	600.74
AS9551 A8 B Ingersoll RA71 12V AC 650mA - Fail Locked. Finish - Brass - LIGHT USAGE MAZAK	85.54
AS9552 A8 CP Ingersoll RA71 12V AC 650mA - Fail Locked. Finish - CP -LIGHT USAGE MAZAK	85.54
AS9555 A8 B Ingersoll RA71 12vdc 110mA - Fail Locked. Finish - Brass - LIGHT USAGE MAZAK	85.54
AS9556 A8 CP Ingersoll RA71 12vdc 110mA - Fail Locked. Finish - CP - LIGHT USAGE MAZAK	85.54
<b>Rim electric lock for wooden doors (12v AC 1.25A Power to Unlock)</b>	
11610-60-1 Cisa RH IN Inside Push Button (note: additional power supply often needed) - L9666	75.26
11610-60-2 Cisa LH IN Inside Push Button (note: additional power supply often needed) - L9667	75.26
11610-60-3 Cisa RH OUT Inside Push Button (note:additional power supply often needed)	86.34
11610-60-4 Cisa LH OUT Inside Push Button (note:additional power supply often needed)	86.34

### Screw In Cylinders

**32 TPI, 29 Dia UK Standard, 31 Dia European Standard**

**Lengths Available 21mm (Standard 44mm Doors) or 30mm (58mm Doors)**

C17SI - Yale	Specify - Yale lock being fitted to / 21mm or 30mm cylinder required / Rose 5mm.	81.70
C17SI - Yale pr to pass	Specify - Yale lock being fitted to / 21mm or 30mm cylinder required / Rose 5mm.	163.40
C17SI - AR	Specify - Adams Rite lock being fitted to / 21mm or 30mm cylinder required / Rose 5mm.	81.70
C17SI - AR pair to pass	Specify - Adams Rite lock being fitted to / 21mm or 30mm cylinder required / Rose 5mm.	163.40
C17SI - Lips	Specify - Lips lock being fitted to / 21mm or 30mm cylinder required / Rose 5mm.	81.70
C17SI - Lips pair to pass	Specify - Lips lock being fitted to / 21mm or 30mm cylinder required / Rose 5mm.	163.40

### Options Screw In Cylinder Range

P006/62	Cylinder Rose 5mm (supplied as standard)	6.94
	Packer Ring 2mm to go behind 5mm Cylinder Rose	4.24
4608	Cylinder Guard - Adams Rite MS4043	36.16
4790	Cylinder Guard - Union 53036	15.70
L14682	Cylinder Guard - Souber SCG1/DN	4.95

### Assa Scandinavian Oval Cylinders

SO17 pair	Scandinavian Oval - <b>Net Prices - For use with TF Sampson Ltd 'Fix' Range of Espagnolette Locking &amp; Handles</b>	200.00
SO17 outer	Scandinavian Oval - <b>Net Prices - For use with TF Sampson Ltd 'Fix' Range of Espagnolette Locking &amp; Handles</b>	130.00
SO17 inner	Scandinavian Oval - <b>Net Prices - For use with TF Sampson Ltd 'Fix' Range of Espagnolette Locking &amp; Handles</b>	130.00

### Assa Scandinavian Round Cylinders

SR17 pair	Scandinavian Round - <b>Net Prices - For use with TF Sampson Ltd 'Fix' Range of Espagnolette Locking &amp; Handles</b>	200.00
SR17 outer	Scandinavian Round - <b>Net Prices - For use with TF Sampson Ltd 'Fix' Range of Espagnolette Locking &amp; Handles</b>	130.00
SR17 inner	Scandinavian Round - <b>Net Prices - For use with TF Sampson Ltd 'Fix' Range of Espagnolette Locking &amp; Handles</b>	130.00

### Wall Safes (H=External Height, W=External Width, D=External Depth - all in mm)

WS17A	2 Brick, H152, W229, D121. No shelf. - <b>To Order</b>	284.68
WS17A COMB	2 Brick, H152, W229, D121. No shelf. S & G Combination Lock. - <b>On Runout</b>	<del>362.21</del>
WS17B	4 Brick, H305, W235, D121. Shelf Standard. <b>To Order</b>	335.76
WS17B COMB	4 Brick, H305, W235, D121. Shelf Standard. S & G Combination Lock - <b>On Runout</b>	<del>402.72</del>
WS17C	4 Brick Deep, H305, W235, D165. Shelf Standard. <b>To Order</b>	354.79
WS17C COMB	4 Brick Deep, H305, W235, D165. Shelf Standard. S & G Combination Lock. - <b>On Runout</b>	<del>424.01</del>
WS17D	4 Brick Deep, H356, W305, D165. Shelf Standard. S & G Combination Lock Standard. - <b>On Runout</b>	<del>589.99</del>

### Replacements

S & G	Combination Lock Only	167.58
WS17	Wall Safe Lock Only, horizontal standard.	71.17