

BRAMAH SECURITY EQUIPMENT LIMITED

Marylebone – London – Sales Office and Factory Outlet (LONDON WEST END)

31 Oldbury Place, London, England, W1U 5PT
Telephone +44 (0)844 482 2034 Facsimile +44 (0)20 7935 2779
Email:lock.sales@bramah.co.uk Web: www.bramah.co.uk

Romford – Essex – Factory Shop and Manufacturing Site (LONDON EAST END)

19 Danes Road, Romford, Essex, RM7 0HL
Telephone +44 (0)8080 027262 Facsimile +44 (0)1708 768825
Email:manufacturing@bramah.co.uk Web: www.bramah.co.uk

The Bramah lock mechanism is 227 years old this year.

WORLD PRICE LIST **From – 28th February 2011**

Prices For

Bramah Lock Range (Mortice, Cylinder, Cabinet, Padlock, Safe)

11 – 15

Hours of Business

Marylebone – Sales Office and Trade Counter -Monday to Friday 8.30am to 5.30pm
Saturday 9.00am to 1.00pm

Romford – Factory Shop – Monday to Friday only 8.00am to 4.00pm
Earlier or Saturday by arrangement.





Handing Of Products

Right=1

Left=2

Right=3

Left=4



Bramah Security Equipment Ltd - 31 Oldbury Place, London, W1U 5PT

BRAMAH PRODUCT RANGE

Retail Price List Not Including Vat From 28th February 2011 - (Note: all locks are priced without keys which are ordered seperately and are common to all products)

Standard Finishes are SCP, Brass, BMA. Specials CP, Nickel and Black.

Product Code	RRP without keys
MDD Range Deadlock for Wooden Doors with 25mm (1") Fire Stops	
(Lock Depth 81mm (3 3/8"), Keyway Backset 62mm (2 9/16"))	
£	
<i>With Forend, Deadbolt, Without Keys, Locking Plate or Escutcheons which should be specified.</i>	
MDD27	Keyed on both sides -14 slided
MDD27A	Keyed on both sides, one microswitch -14 slided
MDD27AA	Keyed on both sides, two microswitch - 14 slided
MDD27F	Keyed on both sides, with different key combinations - 14 slided
MDD27FA	Keyed on both sides, with different key combinations, one microswitch - 14 slided
MDD27FAA	Keyed on both sides, with different key combinations, two microswitch - 14 slided
MDD17	Keyed on one side - 7 slided
MDD17A	Keyed on one side, one microswitch - 7 slided
MDD17AA	Keyed on one side, two microswitch - 7 slided
MDD17K	Keyed on one side, 180 degree thumb turn on second - 7 slided
MDD17KA	Keyed on one side, 180 degree thumb turn on second, one microswitch - 7 slided
MDD17KAA	Keyed on one side, 180 degree thumb turn on second, two microswitch - 7 slided
MD Range Deadlock for Wooden Doors with 13mm (1/2") Fire Stop	
(Lock Depth 57mm (2 3/8"), Keyway Backset 40mm (1 9/16"))	
£	
<i>With Forend, Deadbolt, Without Keys, Locking Plate or Escutcheons which should be specified.</i>	
MD27	Keyed on both sides -14 slided
MD27A	Keyed on both sides, one microswitch -14 slided
MD27AA	Keyed on both sides, two microswitch - 14 slided
MD27F	Keyed on both sides, with different key combinations - 14 slided
MD27FA	Keyed on both sides, with different key combinations, one microswitch - 14 slided
MD27FAA	Keyed on both sides, with different key combinations, two microswitch - 14 slided
MD17	Keyed on one side - 7 slided
MD17A	Keyed on one side, one microswitch - 7 slided
MD17AA	Keyed on one side, two microswitch - 7 slided
MD17K	Keyed on one side, 180 degree thumb turn on second - 7 slided
MD17KA	Keyed on one side, 180 degree thumb turn on second, one microswitch - 7 slided
MD17KAA	Keyed on one side, 180 degree thumb turn on second, two microswitch - 7 slided
Options MDD and MD Range - State finish required	
Forend (included in base product price)	
P001/01	Short Forend, supplied standard if lock rebated. (Width 25mm)
P001/71	Long Forend, supplied standard on all 27,17 and 17K locks. (Width 25mm)
P001/80	Long Forend European Width, (Width 21.5mm)
	MDA Forend, supplied if requested with an MDD or MD lock when fitting a Bramah in place of Chubb 3G110
P001/76	Erebus Forend, supplied, if requested for retrofitting a Bramah in place of Erebus /Banham 7 Lever to explosive stores
Deadbolt (included in base product price)	
MDBF	Bolt , Flat 18mm (Pre European Standard)
MDBR	Bolt , Radius 21mm (Post European Standard)
Locking Plates (add to base product price)	
P001/02	Locking Plate Standard
P001/53	Locking Plate MDA and MDDA
P001/69	Box Striking Plate
P001/69A	Box Striking Plate, one microswitch
P001/69AA	Box Striking Plate, two microswitch
Rebate Sets (add to base product price)	
P001/54/56	MD & MDD Rebate Sets 13mm(1/2"), 16mm(5/8") - on runout , 19mm (3/4"), 25mm(1")
P001/55/77	MDA & MDDA Rebate Sets 13mm(1/2"), 16mm(5/8") - on runout , 19mm (3/4"), 25mm(1")
Other Parts	
L5774	Keybox Hoyles K1000
L5777	Keybox Hoyles K1030GR Spare Window
P014/11	MD Conversion set for adaptation of locks for internal thumb turn
P014/12	MDD Conversion set for adaptation of locks for internal thumb turn

Bramah Security Equipment Ltd - 31 Oldbury Place, London, W1U 5PT

BRAMAH PRODUCT RANGE

Retail Price List Not Including Vat From 28th February 2011 - (Note: all locks are priced without keys which are ordered seperately and are common to all products)

Standard Finishes are SCP, Brass, BMA. Specials CP, Nickel and Black.

Product Code		RRP without keys
NS Range	Deadlock for Narrow Stile Metal (M) or Wooden (W) Doors (Lock Depth 43mm (1 11/16"), Keyway Backset 22mm (7/8"))	£
	<i>With Forend, Deadbolt, Without Keys, Locking Plate or Escutcheons which should be specified.</i>	
NS27 W/M	Keyed both sides - 14 slidered	116.69
NS17 W/M	Keyed one side - 7 slidered	98.92
NS17A W/M	Keyed one side, microswitch second side - 7 slidered	131.31
NS17A Long Tail W/M	Keyed one side, microswitch second side with 2.0m tail - 7 slidered	150.70
NS 17K W/M	Keyed one side, 180 degree thumb turn second side - 7 slidered	145.37

Options	NS Range - State finish required	
	Forends (included in base product price)	
P001/13	Flat Forend, supplied standard	19.79
P001/10	Gibbons 19 mm (3/4") Flat Forend	21.14
P001/09	Tonks 22mm (7/8") Flat Forend	21.14
P001/12	Radius Forend, supplied on request	19.79
	Gibbons 19 mm (3/4") Radius Forend	21.14
	Tonks 22mm (7/8") Radius Forend	21.14
P001/40	3/4" Fixing Bracket	3.40
P001/41	7/8" Fixing Bracket	3.40
	Deadbolt (included in base product price)	
NDBF	Bolt , Flat 18mm (Pre European Standard)	18.57
NDBR	Bolt , Radius 21mm (Post European Standard)	18.57
	Locking Plates (add to base product price)	
P001/02	Locking Plate Standard	12.98
P001/53	Locking Plate MDA and MDDA	12.98
P001/69	Box Striking Plate	52.56
P001/69A	Box Striking Plate, one microswitch	57.61
P001/69AA	Box Striking Plate, two microswitch	62.48
	Rebate (add to base product price)	
POO1/59/56	Rebate 13mm (1/2") specify finish when ordering	28.23
	Other parts (add to base product price)	
P001/46	Easyclean floor socket - Allart 0604	9.77
P001/75	NS and VNS Fixing Block Sets - as recommended in training courses by Geoff Turner FBLI	6.79
NCON	NS Conversion set for adaptation of locks for internal thumb turn	122.68

VNS Range	Hookbolt for Hinged and Sliding Metal (M) or Wooden (W) Doors	
	(Lock Depth 32 mm (1 7/32"), Keyway Backset 15mm (9/16"))	
	<i>With Forend, Deadbolt, Without Keys, Guide Pegs, Locking Plate or Escutcheons which should be specified.</i>	
VNS27	Keyed both sides - 14 slidered	152.44
VNS27A	Keyed both sides, one microswitch - 14 slidered	158.79
VNS27AA	Keyed both sides, two microswitch - 14 slidered	184.49

Options	VNS Range - State finish required.	
	Forend (included in base product price)	
P001/42	Forend	19.79
	Guide Peg For sliding doors (add to base product price)	
P001/43	Guide Peg	3.11
	Locking Plates (add to base product price)	
P001/74	Wood Staple, supplied at extra cost if specified	22.04
P001/63	Box Staple, supplied at extra cost if specified	30.34

Bramah Security Equipment Ltd - 31 Oldbury Place, London, W1U 5PT

BRAMAH PRODUCT RANGE

Retail Price List Not Including Vat From 28th February 2011 - (Note: all locks are priced without keys which are ordered seperately and are common to all products)

Standard Finishes are SCP, Brass, BMA. Specials CP, Nickel and Black.

Product Code		RRP without keys
R Range	Rim Deadlock for Wood or Metal Doors - Minimum Key Length 63mm (Case Body Depth 75mm (2 15/16"), Keyway Backset 40mm (1 9/16") <i>With Deadbolt, Without Forends, Keys, Locking Plate or Escutcheons which should be specified.</i>	£
R27	Keyed on both sides - 14 <i>slidered</i>	186.72
R17	Keyed on one side - 7 <i>slidered</i>	158.84
R17A	Keyed one side, one microswitch - 7 <i>slidered</i>	180.39
R17K	Keyed one side, 180 degree thumb turn second side - 7 <i>slidered</i>	244.96

Options	R Range	
	Forend (add to base product price)	
P001/38	Rim Forend	24.45
P001/01	Short Forend	19.79
	Deadbolt (included in base product price)	
MDBF	Bolt , Flat 18mm (Pre European Standard)	18.57
MDBR	Bolt , Radius 21mm (Post European Standard)	18.57
	Locking Plates (add to base product price)	
P001/39	Rim Locking Plate	18.57
P001/02	Locking Plate Standard	25.60

BASC Range	Slide on Deadlock for Glass Doors locking into the floor (Case Body Depth 75mm (2 15/16"), Keyway Backset 40mm (1 9/16")	
BASC17	Keyed one side, specify glass thickness when ordering (unit complete)	194.91

SD Range	Collapsible Gate and Bostwick Door Lock (Lock Depth 57mm (3/8"), Keyway Backset 40mm (1 9/16") <i>With: Deadbolt and Locking Plate Without: Keys, Escutcheons</i>	
SD27	Keyed both sides - 14 <i>slidered</i>	155.34
SD17	Keyed one side - 7 <i>slidered</i>	150.21
SD17A	Keyed one side, one microswitch - 7 <i>slidered</i>	155.34
SD17K	Keyed one side, 180 degree thumb turn second side - 7 <i>slidered</i>	231.04

Common Options	MDD,MD,NS, VNS, R, BASC, SD Range	
	Knobturn Options (included in base product price of K Option products) - Common shaft, Interchangeable top.	
P014/13	T Knob - (includes knob and base)	65.07
Avon	Round Knob (49mm Dia.) with green arrow to open, marked on.- (includes knob and base)	103.56
	Escutcheons (add to base product price) - 10mm Guide being re - introduced in 2009 - If for European Door ask for 8mm	
P011/26 - 8	Sliding Escutcheons, 20mm wide by 38mm high, 8mm guide - Less than 44mm Doors	11.75
P011/26 - 10	Sliding Escutcheons, 20mm wide by 38mm high, 10mm guide - Greater Than 44mm Doors	11.75
P011/27 - 8	Plain Escutcheons, 20mm wide by 38mm high , 8mm guide - Less than 44mm Doors	7.86
P011/27 - 10	Plain Escutcheons, 20mm wide by 38mm high , 10mm guide - Greater than 44mm Doors	7.86
P011/32	Sliding Escutcheons, 20mm wide by 38mm high, 20mm guide	11.75
P011/33	Plain Escutcheons, 20mm wide by 38mm high , 20mm guide	9.85
P011/36	Round Escutcheons 30mm (1 3/16") Diameter, 8mm guide	17.52
P011/37	Round Escutcheons 40mm (1 9/16") Diameter, 8mm guide	25.07
P011/38 - S	Round Jumbo Escutcheons 57mm (2 1/4") Diameter, 8mm guide - Standard Branded	25.07
P011/38 - R	Round Jumbo Escutcheons 57mm (2 1/4") Diameter, 8mm guide - Reverse Branded	25.07

Bramah Security Equipment Ltd - 31 Oldbury Place, London, W1U 5PT

BRAMAH PRODUCT RANGE

Retail Price List Not Including Vat From 28th February 2011 - (Note: all locks are priced without keys which are ordered seperately and are common to all products)

Standard Finishes are SCP, Brass, BMA. Specials CP, Nickel and Black.

Product Code		RRP without keys
Cabinet Locks	Handed locks for Drawers, Cupboards and Sliding Wood and Glass Displays	£
Cut Cabinet Locks - Key Locking		
CAB17	Cut Cabinet lock. Specify Handing, Cap Type and Finish as per Cabinet lock catalogue. Back Plates 76w:57h or 50w:45h - No Staple	89.32
CAB17A	Cut Cabinet Lock, with a single microswitch. Specify Handing, Cap Type and Finish as per Cabinet lock catalogue. Back Plates 76w:57h - No Staple	98.34
CAB17AA	Cut Cabinet lock, with a double microswtch. Specify Handing, Cap Type and Finish as per Cabinet lock catalogue. Back Plates 76w:57h - No Staple	109.68
	Flat Staple for CAB17	7.80
	L Staple for CAB17	10.69
	T Staple for CAB17	17.81
Cut Cabinet Lock - Automatic Locking		
CAB17SL	Cut Cabinet Slam lock. Specify action (Drawer or Sliding Door) and Finish as per cabinet lock catalogue.	67.60
Sliding Glass and Wood Display Lock - Automatic Locking		
CAB17PSH	Sliding Glass Display lock. Specify width of wood or glass and gap when ordering (Cones available 14mm,25mm; Bolts available 24mm, 30mm, 36mm). Specify Chrome or Brass Finish. Standard 25mm cone:30mm bolt.	80.28
Cut Box Lock - Key Locking		
CAB17BOX	For Wooden, Metal or Leather Boxes. Knurled Cap. Brass Finish only. - Staple Included	113.80
	Offset Staple	17.30
	Flush Staple	17.30
Cut Cabinet Lock with Hook Bolt - Key Locking		
CAB17HK No Staple	Cut Cabinet lock. Specify Back Plate size, and handing of bolt as per Cabinet Lock catalogue. Note, a right handed throw, is a left handed upside down. - No Staple	109.17
CAB17HK Staple	Staple. Specify size to match lock.	10.41
Cut Cabinet Lock for Very Narrow Display Furniture - Key Locking		
CAB17NS	Cut Cabinet lock. Specify exact geometry of wood to be used.Minimum size 32mm - No Staple	111.05
Padlock Range		
BP17 - Short	Medium Range , hardened steel shackle. Inner Shackle 24mm wide by 15.5mm high.	77.47
BP17 - Long	Medium Range , hardened steel shackle. Inner Shackle 24mm wide by 27.5mm high.	77.47
Switch Units		
SU17	Switch Unit without box, one microswitch	64.52
APB1 - 2T	Orion Two Way Momentary Close - Open one Pole, Key removable after contacting center position . Surface Fix.	80.05
UPB1 - 2T	Orion Two Way Momentary Close - Open one Pole, Key removable after contacting center position . Recessed.	80.05
Rim Cylinders		
C17	Rim cylinder. Compatible Union 1037,1038 Chubb 4L71, 4L72, Yale 85, 89 - Finishes CP, SCP, Brass	68.46
C17	Rim cylinder. Compatible Union 1037,1038 Chubb 4L71, 4L72, Yale 85, 89 - Finishes Nickel, BMA, Black	74.10
Options		
Rim Cylinder Range		
Accessories		
AS3812	Door Pull - Victorian Style	10.65
P007/39	Long Connecting Bar 82mm (L4980) Supplied as standard	2.70
Deadlocking Nightlatch -		
RA71	Ingersoll Nightlatch Without Staple, With Deadlocking. Finish - CP, SCP, Brass	63.44
RA71	Ingersoll Nightlatch Without Staple, With Deadlocking. Finish - Nickel, BMA, Black	203.57
RA73	Ingersoll Nightlatch Without Staple, Without Deadlocking. Finish - CP,SCP, Brass	63.44
RA73	Ingersoll Nightlatch Without Staple, Without Deadlocking. Finish - Nickel, BMA, Black	203.57
RA71/20	Plain Door In Staple. Finish - CP,SCP, Brass	40.02
RA71/20	Plain Door In Staple. Finish - Nickel, BMA, Black	75.63
RA71/20B	Plain Door Out Striking Plate 44mm - CP,SCP, Brass	25.31
RA71/20B	Plain Door Out Striking Plate 44mm - Nickel, BMA, Black	52.46
RA71/20D	Plain Door Out Striking Plate 57mm - SCP, Brass	25.31
RA71/20D	Plain Door Out Striking Plate 57mm - Nickel, BMA, Black and CP	52.46

Bramah Security Equipment Ltd - 31 Oldbury Place, London, W1U 5PT

BRAMAH PRODUCT RANGE

Retail Price List Not Including Vat From 28th February 2011 - (Note: all locks are priced without keys which are ordered seperately and are common to all products)

Standard Finishes are SCP, Brass, BMA. Specials CP, Nickel and Black.

Product Code		RRP without keys
Conversion Accessories		
P007/38	Ingersoll Conversion Kit (Blanking Ring and Internal Adjustment Plate)	13.31
P006/12	Ingersoll Blanking Ring (required only when retrofitting) - L5971 Reamed	6.35
P007/33	Ingersoll Internal Adjustment Plate (required with every Ingersoll)	6.97
Rim Electric Releases		
Bramah9761	Bramah - Clarke 12V AC - Fail Locked. Finish SCP, Brass, CP, BMA, Black, Nickel - Made of Brass - Robust - Designed for BT Telephone Exchanges	576.80
AS9551	A8 B Ingersoll RA71 12V AC 650mA - Fail Locked. Finish - Brass - LIGHT USAGE MAZAK	78.22
AS9552	A8 CP Ingersoll RA71 12V AC 650mA - Fail Locked. Finish - CP -LIGHT USAGE MAZAK	78.22
AS9555	A8 B Ingersoll RA71 12vdc 110mA - Fail Locked. Finish - Brass - LIGHT USAGE MAZAK	78.22
AS9556	A8 CP Ingersoll RA71 12vdc 110mA - Fail Locked. Finish - CP - LIGHT USAGE MAZAK	78.22
Rim electric lock for wooden doors (12v AC 1.25A Power to Unlock)		
11610-60-1	Cisa RH IN Inside Push Button (note: additional power supply often needed) - L9666	68.82
11610-60-2	Cisa LH IN Inside Push Button (note: additional power supply often needed) - L9667	68.82
11610-60-3	Cisa RH OUT Inside Push Button (note:additional power supply often needed)	78.95
11610-60-4	Cisa LH OUT Inside Push Button (note:additional power supply often needed)	78.95

Screw In Cylinders

32 TPI, 29 Dia UK Standard, 31 Dia European Standard

Lengths Available 21mm (Standard 44mm Doors) or 30mm (58mm Doors)

C17SI - Yale	Specify - Yale lock being fitted to / 21mm or 30mm cylinder required / Rose 5mm.	74.71
C17SI - Yale pr to pass	Specify - Yale lock being fitted to / 21mm or 30mm cylinder required / Rose 5mm.	149.42
C17SI - AR	Specify - Adams Rite lock being fitted to / 21mm or 30mm cylinder required / Rose 5mm.	74.71
C17SI - AR pair to pass	Specify - Adams Rite lock being fitted to / 21mm or 30mm cylinder required / Rose 5mm.	149.42
C17SI - Lips	Specify - Lips lock being fitted to / 21mm or 30mm cylinder required / Rose 5mm.	74.71
C17SI - Lips pair to pass	Specify - Lips lock being fitted to / 21mm or 30mm cylinder required / Rose 5mm.	149.42

Options	Screw In Cylinder Range	
P006/62	Cylinder Rose 5mm (supplied as standard)	6.35
	Packer Ring 2mm to go behind 5mm Cylinder Rose	3.88
4608	Cylinder Guard - Adams Rite MS4043	34.92
4790	Cylinder Guard - Union 53036	17.83
L14682	Cylinder Guard - Souber SCG1/DN	17.83

Assa Scandinavian Oval Cylinders

SO17 pair	Scandinavian Oval - Net Prices - For use with TF Sampson Ltd 'Fix' Range of Espagnolette Locking & Handles	200.00
SO17 outer	Scandinavian Oval - Net Prices - For use with TF Sampson Ltd 'Fix' Range of Espagnolette Locking & Handles	130.00
SO17 inner	Scandinavian Oval - Net Prices - For use with TF Sampson Ltd 'Fix' Range of Espagnolette Locking & Handles	130.00

Assa Scandinavian Round Cylinders

SR17 pair	Scandinavian Round - Net Prices - For use with TF Sampson Ltd 'Fix' Range of Espagnolette Locking & Handles	200.00
SR17 outer	Scandinavian Round - Net Prices - For use with TF Sampson Ltd 'Fix' Range of Espagnolette Locking & Handles	130.00
SR17 inner	Scandinavian Round - Net Prices - For use with TF Sampson Ltd 'Fix' Range of Espagnolette Locking & Handles	130.00

Wall Safes (H=External Height, W=External Width, D=External Depth - all in mm)

WS17A	2 Brick, H152, W229, D121. No shelf.	260.32
WS17A COMB	2 Brick, H152, W229, D121. No shelf. S & G Combination Lock. - On Runout	362.21
WS17B	4 Brick, H305, W235, D121. Shelf Standard	307.04
WS17B COMB	4 Brick, H305, W235, D121. Shelf Standard. S & G Combination Lock - On Runout	402.72
WS17C	4 Brick Deep, H305, W235, D165. Shelf Standard.	324.43
WS17C COMB	4 Brick Deep, H305, W235, D165. Shelf Standard. S & G Combination Lock.- On Runout	424.01
WS17D	4 Brick Deep, H356, W305, D165. Shelf Standard. S & G Combination Lock Standard. To Order	589.99

Replacements

S & G	Combination Lock Only	159.60
WS17	Wall Safe Lock Only, horizontal standard.	65.09